

Name: _____

Date: _____

SOLVING SQUARE ROOT EQUATIONS ALGEBRA 2 WITH TRIGONOMETRY

Equations involving square roots arise in a variety of contexts, both applied and purely mathematical. As always, the key to solving these equations lies in the applications of inverse operations. The key inverse relationship in these equations is that between taking a square root and squaring.

Exercise #1: Solve each of the following square root equations, which are arranged from less to more complex. Check each equation by using the **STORE** feature on your calculator.

(a) $\sqrt{x} = 7$

(b) $\sqrt{x-3} = 5$

(c) $\sqrt{2x-1} = 4$

(d) $3\sqrt{x} - 4 = 20$

(e) $2\sqrt{x+5} + 7 = 13$

(f) $5\sqrt{3x-2} - 4 = 36$

Exercise #2: Which of the following is the solution to $3\sqrt{\frac{x}{2}} = 15$?

(1) $x = 12.5$

(3) $x = 50$

(2) $x = 25$

(4) $x = 4050$




A more complicated scenario arises when a square root expression is equal to a linear expression. The next exercise will illustrate both the graphical and algebraic issues involved.

Exercise #3: Consider the system of equations shown below.

$$y = \sqrt{x+3} \text{ and } y = x+1$$

- (a) Solve this system graphically using the grid to the right.
- (b) Solve this system *algebraically* for the only the x -values using substitution below.



- (c) Why does your answer from part (a) contradict what you found in part (b)?

Oftentimes, roots are introduced by various algebraic techniques that for one reason or another are not valid solutions of the equations. These roots are known as **extraneous** and can always be found by checking within the **original equation**.

Exercise #4: Find the solution set of each of the following equations. Use the **STORE** command on your calculator to check each possible solution. Be sure to reject any extraneous roots.

(a) $\sqrt{2x-3} = x-3$

(b) $2x = \sqrt{x+6} - 2$



Name: _____

Date: _____

SOLVING SQUARE ROOT EQUATIONS
ALGEBRA 2 WITH TRIGONOMETRY - HOMEWORK

SKILLS

1. Solve each of the following square root equations. As in the lesson, they are arranged from lesser to more complex. Check your answers using the **STORE** command on your calculator.

(a) $\sqrt{x} = 5$

(b) $\sqrt{x+2} = 10$

(c) $\sqrt{\frac{2x}{3}} = 6$

(d) $4\sqrt{x} = 24$

(e) $2\sqrt{x} = 1$

(f) $\sqrt{3x+4} = 8$

(g) $\frac{1}{2}\sqrt{x} - 5 = 2$

(h) $\sqrt{4x-1} + 3 = 4$

(i) $5\sqrt{1-5x} - 3 = 27$

(j) $\sqrt{x^2 - 10x + 25} = 5$

(k) $\sqrt{2x^2 + 17x} = 3$

(l) $\sqrt{3x^2 + 7x + 10} = 4$



2. Which of the following values solves the equation $\frac{\sqrt{4x+19}}{2} = 2$?

(1) $-\frac{9}{2}$

(3) $\frac{4}{3}$

(2) $-\frac{3}{4}$

(4) $\frac{1}{2}$

3. Solve each of the following equations for all values of x . Check your possible solutions in the original equation. Reject any extraneous roots.

(a) $x-1 = \sqrt{x+11}$

(b) $\sqrt{4x+36} = 2x-6$

4. Solve each of the following equations for all values of x . As in problem #1, be sure to isolate the square root expression first before squaring both sides of the equation. Check your possible solutions in the original equation. Reject any extraneous roots.

(a) $6x = 2\sqrt{24x+17} - 8$

(d) $\frac{\sqrt{6x+4}-1}{4} = x$

